

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
29 January 2004 (29.01.2004)

PCT

(10) International Publication Number
WO 2004/009591 A1

(51) International Patent Classification⁷: **C07D 471/04**

(21) International Application Number:
PCT/IN2003/000207

(22) International Filing Date: 2 June 2003 (02.06.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
545/MAS/2002 22 July 2002 (22.07.2002) IN

(71) Applicant (for all designated States except US): AU-
ROBINDO PHARMA LTD. [IN/IN]; Plot No. 2, Maitri
Vihar Registered Office, Ameerpet, Hyderabad 500 038,
Andhrapradesh (IN).

(71) Applicants and

(72) Inventors: **MEENAKSHISUNDERAM**, Sivakumaran
[IN/IN]; Aurobindo Pharma Ltd., Plot No.2, Maitri Vihar,
Ameerpet, Hyderabad 500 038, Andhrapradesh (IN).
RAMA, Shankar [IN/IN]; Aurobindo Pharma Ltd.,
Plot No.2, Maitri Vihar, Ameerpet, Hyderabad-500 038,
Andhrapradesh (IN). **CHETAN**, Pandit [IN/IN]; Au-
robindo Pharma Ltd., Plot No.2, Maitri Vihar, Ameerpet,
Hyderabad-500 038, Andhrapradesh (IN).

(74) Agent: **NANDA, Bhaskara**; c/o Aurobindo Pharma Ltd.
Legal Officer, Plot No. 2, Maitri Vihar, Ameerpet, Hyder-
abad 500 038, Andhrapradesh (IN).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,

CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE,
SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,
VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,
SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


Declarations under Rule 4.17:

— as to the identity of the inventor (Rule 4.17(i)) for the fol-
lowing designations AE, AG, AL, AM, AT, AU, AZ, BA, BB,
BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK,
DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU,
ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT,
LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ,
OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM,
TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW,
ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ,
UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD,
RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ,
DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL,
PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI,
CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)


— as to applicant's entitlement to apply for and be granted a
patent (Rule 4.17(ii)) for the following designations AE,
AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA,
CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES,
FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG,
MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU,

[Continued on next page]


(54) Title: A PROCESS FOR THE PREPARATION OF ANTIPSYCHOTIC RISPERIDONE




(I)



(II)



(III)



(IV)

(57) Abstract: This invention relates to a process for the preparation of antipsychotic risperidone (Formula I); which comprises reacting 3-(2-chloroethyl)-6,7,8,9-tetrahydro-2-methyl-4H-pyrido-[1,2-a]pyrimidin-4-one (Formula II); with 4-(2,4-difluorobenzoyl)piperidine oxime (Formula III); to form oxime (Formula IV); and *in situ* cyclization of oxime (Formula IV) to form risperidone (Formula I) in a solvent selected from the group consisting of acetonitrile, *N,N*-dimethylformamide and methyl isobutyl ketone.



SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations

— of inventorship (Rule 4.17(iv)) for US only


Published:

- with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.


TITLE**A PROCESS FOR THE PREPARATION OF ANTIPSYCHOTIC RISPERIDONE****PRIOR ART**

Risperidone (Compound I) is an antipsychotic agent belonging to 3-piperidinyl-1,2-benzisoxazole derivative reported by Janssen Pharmaceutica in US Patent 4,804,663.


**Compound I**

It has chemical name 3-[2-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]ethyl]-6,7,8,9-tetrahydro-2-methyl-4H-pyrido[1,2-a]pyrimidin-4-one.


In US Patent 4,804,663, it is prepared by N-alkylation of 6-fluoro-3-(4-piperidinyl)-1,2-benzisoxazole (Compound V) with 3-(2-chloroethyl)-6,7,8,9-tetrahydro-2-methyl-4H-pyrido[1,2-a]pyrimidin-4-one (Compound II) in dimethylformamide solvent using sodium carbonate base and potassium iodide catalyst in 46% yield. The product prepared in this manner often requires extensive purification.




The benzisoxazole intermediate (Compound V) required in this route of risperidone synthesis has been prepared in US Patent 4,804,663 and US Patent 5,134,147 by cyclization of 4-(2,4-difluorobenzoyl)piperidine oxime (Compound III) in aqueous sodium hydroxide solution.



In Spanish Patent ES 2 050 069, an alternate synthesis of risperidone is disclosed where 4-(2,4-difluorobenzoyl)piperidine hydrochloride (Compound VI) is reacted with 3-(2-chloroethyl)-6,7,8,9-tetrahydro-2-methyl-4H-pyrido[1,2-a]pyrimidin-4-one (Compound II) in presence of sodium bicarbonate, and potassium iodide to obtain 3-[2-[4-(2,4-difluorobenzoyl)piperidino]ethyl]-2-methyl-6,7,8,9-tetrahydro-4H-pyrido[1,2-a]pyrimidin-4-one dihydrochloride (Compound VII) which is then reacted with hydroxyl amine hydrochloride in ethanol in presence of pyridine and potassium hydroxide to obtain the oxime compound (Compound IV). The isolation of oxime and its purification from ethyl acetate is reported before cyclization to obtain risperidone (Compound I).






This approach of preparing risperidone involves number of chemical steps and results in an overall yield of 40%.

The aim of the present invention is to provide a method to obtain highly pure risperidone in high yield.

DESCRIPTION OF THE INVENTION

The instant invention relates to an industrially advantageous, economic and efficient method for the preparation of highly pure risperidone.

The process comprises reacting 4-(2,4-difluorobenzoyl)piperidine oxime hydrochloride (Compound III) with 3-(2-chloroethyl)-6,7,8,9-tetrahydro-2-methyl-4H-pyrido[1,2-a]pyrimidin-4-one monochloride (Compound II) in a solvent such as acetonitrile, methyl isobutyl ketone, *N,N*-Dimethylformamide using potassium carbonate or sodium carbonate base in presence of catalytic amount of potassium iodide to obtain an intermediate oxime (Compound IV) that cyclizes *in situ* to produce risperidone. The product thus produced is crystallized from ethyl acetate to obtain highly pure risperidone in 81% yield.



In the instant process, single pot reaction of Compound III with Compound II results in risperidone. This eliminates one chemical step of subjecting Compound III to preparation of isoxazole Compound V prior to reaction with Compound II (US Patent 4,804,663). Further, this route advantageously does not require the isolation and purification of intermediate, 3-[2-[4-[1-(2,4-difluorophenyl)-1-(hydroxyimino)methyl]piperidino]ethyl]-2-methyl-6,7,8,9-tetrahydro-4H-pyrido[1,2-a]pyrimidine-4-one (Compound IV), which means fewer number of process operations resulting in safety and cost effectiveness. Using the process according to the invention, risperidone is isolated from the reaction mixture directly in highly pure form and high yield.

The following specific examples illustrate the process of this invention.

Example-1

A mixture of 5.58 g of 3-(2-chloroethyl)-6,7,8,9-tetrahydro-2-methyl-4H-pyrido [1,2-a]pyrimidin-4-one hydrochloride, 5.1 g of 4-(2,4-difluorobenzoyl)piperidine oxime hydrochloride, 0.46 g of potassium iodide, 6.76 g of anhydrous powdered potassium carbonate and 40 ml of acetonitrile was stirred and refluxed for 30 hours. Reaction monitoring by HPLC analysis indicated the formation of N-alkylated product, oxime, which subsequently slowly cyclized *in situ* to give risperidone. Thereafter, the reaction mixture was cooled and filtered. Residue was washed with cold water (50 ml) to remove the inorganics. Further washed with chilled ethyl acetate (5 ml). The product was crystallized from ethyl acetate yielding 6 g (81%) of 3-[2-[4-(6-fluoro-1,2-benzisoxazole-3-yl)piperidino]ethyl]-6,7,8,9-tetrahydro-2-methyl-4H-pyrido[1,2-a] pyrimidin-4-one.

Example-2

A mixture of 4.75 g of 3-(2-chloroethyl)-6,7,8,9-tetrahydro-2-methyl-4H-pyrido [1,2-a]pyrimidin-4-one hydrochloride, 5.1 g of 4-(2,4-difluorobenzoyl)piperidine oxime hydrochloride, 0.46 g of potassium iodide, 6.5 g of anhydrous powdered potassium carbonate and 30 ml of acetonitrile was stirred and refluxed for 30 hours. Reaction monitoring by HPLC analysis indicated *in situ* formation of risperidone. After the completion of reaction, the reaction mixture was cooled and water (120 ml) was added under stirring. Separated

solid stirred at 5°C for 1 hour, filtered, washed with water and crystallized from ethyl acetate yielding 6 g (81%) of 3-[2-[4-(6-fluoro-1,2-benzisoxazole-3-yl)piperidino]ethyl]-6,7,8,9-tetrahydro-2-methyl-4H-pyrido[1,2-a] pyrimidin-4-one.

Example-3

A mixture of 4.75 g of 3-(2-chloroethyl)-6,7,8,9-tetrahydro-2-methyl-4H-pyrido [1,2-a]pyrimidin-4-one hydrochloride, 5.1 g of 4-(2,4-difluorobenzoyl)piperidine oxime hydrochloride, 0.46 g of potassium iodide, 6.5 g of anhydrous powdered potassium carbonate and 30 ml of *N,N*-dimethylformamide was stirred at 95-100°C for 18 hours. The reaction mixture was cooled and water (120 ml) was added under stirring. Separated solid stirred at 5°C for 1 hour, filtered, washed with water and crystallized from ethyl acetate yielding 5.7 g (77%) of 3-[2-[4-(6-fluoro-1,2-benzisoxazole-3-yl)piperidino]ethyl]-6,7,8,9-tetrahydro-2-methyl-4H-pyrido[1,2-a]pyrimidin-4-one.

Example-4

A mixture of 4.75 g of 3-(2-chloroethyl)-6,7,8,9-tetrahydro-2-methyl-4H-pyrido [1,2-a]pyrimidin-4-one hydrochloride, 5.1 g of 4-(2,4-difluorobenzoyl)piperidine oxime hydrochloride, 0.46 g of potassium iodide, 6.5 g of anhydrous powdered potassium carbonate and 30 ml of MIBK was stirred at 100-105°C for 30 hours. The reaction mixture was cooled and water (150 ml) was added under stirring. Separated solid stirred at 5°C for 1 hour, filtered, washed with water and crystallized from ethyl acetate yielding 5.4 g (73%) of 3-[2-[4-(6-fluoro-1,2-benzisoxazole-3-yl)piperidino]ethyl]-6,7,8,9-tetrahydro-2-methyl-4H-pyrido[1,2-a]pyrimidin-4-one.

Example-5


A mixture of 4.75 g of 3-(2-chloroethyl)-6,7,8,9-tetrahydro-2-methyl-4H-pyrido [1,2-a]pyrimidin-4-one, 6.0 g of 4-(2,4-difluorobenzoyl)piperidine oxime hydrochloride, 0.46 g of potassium iodide, 6.1 g of anhydrous powdered potassium carbonate and 40 ml of acetonitrile was stirred and refluxed for 30 hours. The reaction mixture was cooled and water (120 ml) was added under stirring. Separated solid stirred at 5°C for 1 hour, filtered, washed with water. Crude product was purified by crystallization in ethyl acetate to afford 6.8 g (79%) of 3-[2-[4-(6-fluoro-1,2-benzisoxazole-3-yl)piperidino]ethyl]-6,7,8,9-tetrahydro-2-methyl-4H-pyrido[1,2-a] pyrimidin-4-one.

Example-6

A mixture of 4.75 g of 3-(2-chloroethyl)-6,7,8,9-tetrahydro-2-methyl-4H-pyrido [1,2-a]pyrimidin-4-one hydrochloride, 5.1 g of 4-(2,4-difluorobenzoyl)piperidine oxime hydrochloride, 0.46 g of potassium iodide, 5 g of anhydrous sodium carbonate and 30 ml of acetonitrile was stirred and refluxed for 32 hours. The reaction mixture was cooled and water (120 ml) was added under stirring. Separated solid stirred at 5° for 1 hour, filtered, washed with water and crystallized from ethyl acetate yielding 6 g (81%) of 3-[2-[4-(6-fluoro-1,2-benzisoxazole-3-yl)piperidino]ethyl]-6,7,8,9-tetrahydro-2-methyl-4H-pyrido[1,2-a] pyrimidin-4-one.


CLAIMS:

(1) A method of preparing risperidone (Compound I)




Compound I

which comprises reacting 3-(2-chloroethyl)-6,7,8,9-tetrahydro-2-methyl-4H-pyrido-[1,2-a]pyrimidin-4-one (Compound II)




Compound II

with 4-(2,4-difluorobenzoyl)piperidine oxime (Compound III)



Compound III

to form oxime (Compound IV)



Compound IV

and *in situ* cyclization of oxime (Compound IV) to form risperidone (Compound I) in a solvent selected from the group consisting of acetonitrile, *N,N*-dimethylformamide and methyl isobutyl ketone.

- (2) A method according to Claim 1 wherein the reaction is carried out with a base such as anhydrous powdered potassium carbonate or sodium carbonate in presence of potassium iodide as catalyst.
- (3) A method according to Claim 1 wherein the reaction is carried out at a temperature in the range of 75°C to 110°C.
- (4) A method according to Claim 1 wherein risperidone produced is purified by crystallization from an organic solvent preferably ethyl acetate.
- (5) A method for preparing risperidone substantially as herein described with reference to the examples.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IN 03/00207

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 C07D471/04

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C07D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	WO 03 042212 A (CLEMENTIS GYOERGY ; EGYT GYOGYSZERVEGYEZETI GYAR (HU); KOERTVELYES) 22 May 2003 (2003-05-22) claim 1; examples ----	1-5
Y	WO 95 14691 A (JANSSEN PHARMACEUTICA NV ; VANDENBERK JAN (BE); KENNIS LUDO EDMOND) 1 June 1995 (1995-06-01) page 5 -page 6 ----	1-5
Y	ES 2 050 069 A (VITA INVEST SA) 1 May 1994 (1994-05-01) cited in the application column 2 -column 3 ----	1-5
Y	EP 0 453 042 A (JANSSEN PHARMACEUTICA NV) 23 October 1991 (1991-10-23) page 4 -page 5 ----	1-5
	-/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- 'A' document defining the general state of the art which is not considered to be of particular relevance
- 'E' earlier document but published on or after the International filing date
- 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- 'O' document referring to an oral disclosure, use, exhibition or other means
- 'P' document published prior to the International filing date but later than the priority date claimed

- 'T' later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- 'X' document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- 'Y' document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- '&' document member of the same patent family

Date of the actual completion of the International search

22 September 2003

Date of mailing of the International search report

13/10/2003

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Fazzi, R

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IN 03/00207

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 134 147 A (PEGLION JEAN L ET AL) 28 July 1992 (1992-07-28) cited in the application column 7 -column 8 ---	1-5
A	US 4 804 663 A (KENNIS LUDO E J ET AL) 14 February 1989 (1989-02-14) cited in the application the whole document ---	1-5
Y	"RISPERIDONE" DRUGS OF THE FUTURE, BARCELONA, ES, vol. 13, no. 12, 1 December 1988 (1988-12-01), pages 1052-1055, XP002046839 ISSN: 0377-8282 page 1053 -----	1-5

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IN 03/00207

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 03042212	A	22-05-2003	WO 03042212 A1	22-05-2003
WO 9514691	A	01-06-1995	AT 184281 T	15-09-1999
			AU 687940 B2	05-03-1998
			AU 1065495 A	13-06-1995
			CA 2175372 A1	01-06-1995
			DE 69420579 D1	14-10-1999
			DE 69420579 T2	27-04-2000
			DK 730594 T3	27-03-2000
			WO 9514691 A1	01-06-1995
			EP 0730594 A1	11-09-1996
			ES 2137486 T3	16-12-1999
			FI 962155 A	22-05-1996
			GR 3031500 T3	31-01-2000
			JP 9505574 T	03-06-1997
			RU 2126406 C1	20-02-1999
			SI 730594 T1	31-12-1999
			US 5688799 A	18-11-1997
ES 2050069	A	01-05-1994	ES 2050069 A1	01-05-1994
EP 0453042	A	23-10-1991	AT 186301 T	15-11-1999
			AU 636969 B2	13-05-1993
			AU 7436691 A	24-10-1991
			BG 60394 B1	28-02-1995
			CA 2040086 A1	20-10-1991
			CN 1055929 A , B	06-11-1991
			CS 9101099 A2	12-11-1991
			DE 69131759 D1	09-12-1999
			DE 69131759 T2	21-06-2000
			DK 453042 T3	25-04-2000
			EP 0453042 A1	23-10-1991
			ES 2140381 T3	01-03-2000
			FI 911885 A , B ,	20-10-1991
			GR 3032122 T3	27-04-2000
			HU 57763 A2	30-12-1991
			IE 911301 A1	23-10-1991
			IL 97892 A	30-03-1995
			JP 3216889 B2	09-10-2001
			JP 4234882 A	24-08-1992
			KR 190297 B1	01-06-1999
			NO 911525 A , B ,	21-10-1991
			NZ 237713 A	25-09-1992
			PL 289935 A1	06-04-1992
			PL 169744 B1	30-08-1996
			PT 97395 A , B	31-01-1992
			SK 279005 B6	06-05-1998
			RU 2037495 C1	19-06-1995
			US 5482943 A	09-01-1996
			ZA 9102913 A	30-12-1992
US 5134147	A	28-07-1992	FR 2654104 A1	10-05-1991
			AT 110075 T	15-09-1994
			AU 631466 B2	26-11-1992
			AU 6581990 A	16-05-1991
			CA 2029372 A1	08-05-1991
			DE 69011628 D1	22-09-1994
			DK 428437 T3	02-01-1995

INTERNATIONAL SEARCH REPORT
Information on patent family members

International Application No
PCT/IN 03/00207

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5134147	A	EP 0428437 A1	22-05-1991
		ES 2062458 T3	16-12-1994
		IE 903992 A1	08-05-1991
		JP 1959184 C	10-08-1995
		JP 3188077 A	16-08-1991
		JP 6092403 B	16-11-1994
		NZ 235892 A	26-08-1992
		QA 9468 A	15-11-1992
		PT 95808 A ,B	13-09-1991
		US 5100902 A	31-03-1992
		ZA 9008884 A	28-08-1991
US 4804663	A	14-02-1989	
		SG 119294 G	17-03-1995
		CS 9103822 A3	13-05-1992
		SK 280125 B6	06-08-1999
		AU 579232 B2	17-11-1988
		AU 5529786 A	02-10-1986
		BG 60432 B2	31-03-1995
		CA 1256867 A1	04-07-1989
		CN 86101906 A ,B	01-10-1986
		CY 1801 A	17-02-1995
		DK 143986 A	28-09-1986
		EP 0196132 A2	01-10-1986
		HK 108794 A	14-10-1994
		IE 58388 B1	08-09-1993
		JP 1908510 C	24-02-1995
		JP 6013511 B	23-02-1994
		JP 61221186 A	01-10-1986
		LU 88576 A9	21-03-1995
		SU 1468419 A3	23-03-1989
		AT 79379 T	15-08-1992
		DE 3686341 D1	17-09-1992
		DE 3686341 T2	14-01-1993
		ES 8705881 A1	01-08-1987
		FI 861328 A ,B,	28-09-1986
		FI 893001 A	19-06-1989
		GR 860800 A1	21-07-1986
		HU 42461 A2	28-07-1987
		IL 78250 A	12-05-1991
		KR 9100165 B1	21-01-1991
		KR 9100437 B1	25-01-1991
		LT 2071 R3	15-06-1993
		LV 5043 A3	10-06-1993
		LV 5778 A4	20-12-1996
		NO 861230 A ,B,	29-09-1986
		NZ 215462 A	29-09-1988
		PH 24016 A	09-02-1990
		PT 82254 A ,B	01-04-1986
		ZA 8602279 A	25-11-1987